



ALDROP PATTA




S.NO	SECTION .NO	A	ID	T	WT.RANGE(KG/12')
1	5502	101.00	11.20	1.80	2.150 - 2.300
2	5503	101.00	11.20	2.00	2.400 - 2.550
3	5504	100.00	11.20	2.10	2.600 - 2.750
4	5505	100.30	12.20	2.20	2.800 - 2.950
5	5506	100.50	12.20	2.40	3.000 - 3.150
6	5507	100.50	12.20	2.60	3.200 - 3.300
7	5511	100.00	12.50	3.20	4.050 - 4.250
8	5522 NS	115.50	14.00	2.50	3.400 - 3.550
9	5522	120.00	13.60	2.30	3.400 - 3.600
10	5525	121.00	14.60	2.45	3.950 - 4.150
11	5526	121.00	14.60	2.55	4.100 - 4.300
12	5528	124.00	15.25	2.80	4.450 - 4.650
13	5529	125.00	15.40	2.40	3.800 - 4.000
14	5532	125.00	16.20	3.30	5.700 - 6.000
15	5533	125.00	16.20	3.50	6.100 - 6.300
16	5534	125.00	16.20	3.70	6.400 - 6.700

ALDROP TEE




S.NO	SECTION .NO	A	B	T	TH	WT.RANGE(KG/12')
1	1820	30.45	35.00	1.95	4.75	2.100 - 2.200
2	1821	34.00	37.70	2.20	5.00	2.450 - 2.550
3	1822	34.80	35.00	3.10	5.90	2.800 - 2.900
4	1825	34.00	37.80	3.10	6.50	3.050 - 3.150
5	1826 L	39.00	38.00	3.40	6.25	3.150 - 3.250
6	1826	39.00	38.00	3.45	6.40	3.400 - 3.500
7	1827	40.00	38.00	3.50	6.50	3.600 - 3.800
8	1828	40.00	38.00	4.25	7.45	4.050 - 4.100
9	1829	41.70	39.50	4.15	7.00	4.100 - 4.200
10	1830 L	42.00	40.00	4.00	7.90	4.500 - 4.600
11	1830	41.80	42.50	4.30	7.80	4.500 - 4.600

SPECIAL TEE




S.NO	SECTION .NO	A	B	T	R	WT.RANGE(KG/12')
1	1801 LL	24.50	22.00	1.50	0.00	0.680 - 0.720
2	1801 A	24.50	22.00	1.60	0.00	0.730 - 0.750
3	1801 L	24.80	22.00	1.65	0.00	0.780 - 0.800
4	1801	23.30	23.30	2.00	1.50	0.900 - 0.950
5	1802	24.00	24.00	2.60	2.00	1.050 - 1.100
6	1804	25.00	25.00	3.20	0.00	1.450 - 1.550
7	1810 L	24.00	28.00	3.30	0.00	1.500 - 1.600
8	1810	24.00	30.00	3.75	0.00	1.800 - 1.900
9	1811	24.00	30.00	4.15	0.00	2.000 - 2.100
10	1815	38.00	38.00	3.00	0.00	2.100 - 2.200

D - HANDLE




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	5140 L	95.00	61.00	23.00	23.00	1.80	2.050 - 2.300
2	5140	98.00	61.00	25.40	23.68	2.20	2.700 - 2.900
3	5150	118.00	80.00	30.00	27.00	1.90	2.800 - 2.900
4	5151, KK	124.00	80.10	30.00	26.00	2.90	4.400 - 4.600
5	5151KKH	124.00	80.10	30.00	26.00	3.05	4.800 - 5.000
6	5152	124.00	84.00	30.50	26.25	3.20	5.150 - 5.300
7	5154	125.10	86.20	31.00	26.00	3.50	6.400 - 6.600
8	5252 L	142.00	99.00	30.00	27.50	2.00	3.400 - 3.600
9	5252	142.00	99.00	30.00	27.50	2.10	3.700 - 3.900
10	5253	142.00	98.00	29.50	27.50	0.00	5.500 - 5.700
11	5254	145.40	105.20	30.60	27.00	3.40	6.300 - 6.500
12	5255	145.40	105.20	30.60	27.00	3.60	6.600 - 6.900
13	5255 H	145.40	105.20	30.60	27.00	3.70	7.400 - 7.600

HANDLE




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	SW-49	145.00	101.90	23.00	17.00	3.80	7.250 - 7.350
2	SW-50	125.50	82.40	23.00	17.00	3.80	6.500 - 6.600

TOWER BOLT




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	1391 L	30.00	11.70	10.00	0.80	1.30	0.680 - 0.700
2	1391 A	31.50	12.10	10.20	0.95	1.25	0.730 - 0.780
3	1391	35.00	12.30	10.80	0.70	0.80	0.600 - 0.650
4	1393	34.50	13.00	11.60	0.70	0.85	0.750 - 0800
5	1395 I	36.00	14.50	12.50	1.00	2.10	1.180 - 1.220
6	1396	38.00	14.50	11.80	1.35	2.30	1.250 - 1.300
7	1396 H	38.00	15.00	12.50	1.25	2.40	1.300 - 1.350




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	1304	24.00	10.20	8.50	0.85	0.90	0.450 - 0.475
2	1305	24.00	10.50	8.50	1.05	1.50	0.670 - 0.700
3	1370	40.00	13.90	12.00	0.95	1.15	0.950 - 1.000
4	1371	43.50	15.10	12.80	1.15	1.35	1.180 - 1.220

TOWER BOLT




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	1307	28.50	10.40	9.20	0.60	0.70	0.430 - 0.470
2	1309	30.00	11.60	10.40	0.60	0.75	0.480 - 0.520
3	1311	29.50	11.10	9.50	0.80	0.86	0.550 - 0.600
4	1312	30.00	11.60	10.00	0.80	0.95	0.600 - 0.650
5	1312 A	30.00	11.70	9.70	1.00	1.20	0.700 - 0.725
6	1313	30.50	11.95	10.20	0.87	1.00	0.650 - 0.700
7	1314	31.00	12.10	10.20	0.95	1.10	0.750 - 0.800
8	1315	31.50	12.60	10.50	1.05	1.15	0.800 - 0.850
9	1315 A	31.50	12.80	10.50	1.12	1.27	0.840 - 0.890
10	1321	30.50	11.45	10.50	0.72	0.83	0.550 - 0.600
11	1321 A	31.00	11.50	9.80	0.85	1.30	0.670 - 0.700
12	1322	31.00	12.05	10.30	0.875	1.00	0.650 - 0.700
13	1323	31.50	12.40	10.50	0.95	1.25	0.750 - 0.800
14	1324	31.50	13.30	10.80	1.25	1.50	0.950 - 1.000
15	1350	35.00	12.30	10.80	0.75	0.80	0.600 - 0.650
16	1351	36.00	12.80	11.20	0.80	0.90	0.700 - 0.750
17	1351 A	36.00	13.70	12.10	0.80	0.85	0.700 - 0.750
18	1352	36.00	13.20	11.50	0.85	0.95	0.750 - 0.800
19	1352 A	36.00	13.10	11.60	0.75	1.50	0.800 - 0.850
20	1353 I	36.00	13.80	12.20	0.80	1.65	0.875 - 0.900
21	1353 A	36.00	13.40	11.40	1.00	1.60	0.970 - 0.990
22	1354	36.00	13.90	12.00	0.95	1.55	0.950 - 1.000
23	1355	36.00	14.90	12.50	1.20	1.35	1.050 - 1.100
24	1356	37.00	14.90	12.50	1.20	1.80	1.150 - 1.200
25	1357	37.50	14.40	12.40	1.00	1.50	0.980 - 1.020
26	1358	37.00	15.40	12.20	1.60	2.02	1.400 - 1.450
27	1358 A	37.00	15.40	12.60	1.40	2.38	1.350 - 1.400
28	1359	38.00	15.10	12.50	1.30	1.90	1.250 - 1.300
29	1364	38.00	17.00	12.80	2.00	2.30	1.750 - 1.800
30	1365	38.00	17.30	13.00	2.15	2.35	1.850 - 1.900

TOWER BOLT




S.NO	SECTION .NO	A	D	B	T	E	WT.RANGE(KG/12')
1	1380L(9.2)	30.00	10.20	11.70	0.75	1.35	0.770 - 0.800
2	1380(9.8)	30.50	10.80	12.55	0.80	1.35	0.850 - 0.900




S.NO	SECTION .NO	A	B	T	WT.RANGE(KG/12')
1	1390	13.8	11.1	1.35	0.750 - 0.800

C - HANDLE




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	5020	100.80	66.00	28.10	25.00	1.40	2.100 - 2.200
2	5024	101.00	66.00	28.10	25.00	1.90	2.650 - 2.750
3	5025	101.00	66.00	28.10	25.00	2.10	2.800 - 3.000
4	5029	101.00	66.00	28.10	25.00	2.50	3.400 - 3.500
5	5030	101.00	66.00	28.10	25.00	2.70	3.550 - 3.750
6	5100	116.50	81.70	28.50	25.00	1.40	2.000 - 2.250
7	5101	116.50	81.70	28.50	25.00	1.50	2.300 - 2.450
8	5102	118.50	81.80	29.00	25.00	1.70	2.500 - 2.650
9	5103	118.50	81.80	29.00	25.00	1.75	2.700 - 2.850
10	5104	120.00	80.80	32.35	26.50	1.78	2.900 - 3.050
11	5105	121.00	81.70	32.35	27.00	3.55	3.100 - 3.250
12	5106	128.00	84.23	36.50	29.50	1.85	3.500 - 3.700
13	5107	130.00	84.00	35.00	29.50	2.95	3.750 - 3.950
14	5108 F	129.50	84.70	36.20	29.70	3.36	3.850 - 4.000 FULL
15	5109	142.00	99.00	33.50	29.25	1.70	4.000 - 4.200
16	5110	138.20	97.00	35.00	28.00	1.65	4.250 - 4.450
17	5112	142.60	99.00	37.00	29.50	2.43	4.500 - 4.700
18	5113	138.20	97.00	35.00	28.00	2.80	4.750 - 4.950
19	G5120	128.00	85.00	35.00	29.80	2.70	4.950 - 5.150
20	5114	138.20	97.00	35.00	28.00	3.00	5.000 - 5.200
21	5115 F	144.00	99.00	37.00	30.00	3.20	5.000 - 5.200 FULL
22	5116 F	144.60	100.00	38.00	30.50	3.50	5.300 - 5.500 FULL
23	5117	144.60	100.00	38.00	30.50	3.50	5.300 - 5.500
24	5118	144.60	100.00	38.00	30.50	3.50	5.600 - 5.800
25	5119	144.60	100.00	38.00	30.50	3.50	5.850 - 6.100
26	5120 F	144.60	100.00	38.00	30.50	3.50	5.850 - 6.100 FULL
27	G5120F	127.50	84.00	37.00	36.00	3.20	5.850 - 6.100 FULL

PALKI - HANDLE




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	5305	105.00	70.00	21.50	20.40	2.40	3.200 - 3.500
2	5306	101.00	69.00	24.00	20.10	2.30	3.000 - 3.300
3	5325	120.00	84.80	31.60	27.00	3.00	4.400 - 4.700
4	5328	121.00	86.00	32.00	27.00	3.40	5.350 - 5.550
5	5356	146.00	111.30	31.60	27.00	3.30	5.600 - 5.800
6	5358	146.00	110.50	32.50	27.00	3.75	6.400 - 6.700

HANDLE




S.NO	SECTION .NO	A	B	C	D	T	WT.RANGE(KG/12')
1	5004	85.20	51.30	22.60	19.00	1.80	1.950 - 2.200
2	5005	85.20	51.30	22.60	19.00	2.00	2.300 - 2.400
3	5010	103.60	70.00	23.45	18.50	1.90	2.500 - 2.600
4	5011	103.60	70.00	23.45	18.50	2.10	2.700 - 3.000

FERRULE SECTION



S.NO	SECTION .NO	A	T	WT.RANGE(KG/12')
1	F-1250	28.80	11.00	1.140 - 1.200
2	F-1251	28.80	11.00	1.300 - 1.350
3	F-1252	30.00	10.50	1.400 - 1.450
4	F-1253	29.00	10.50	1.305 - 1.444




S.NO	SECTION .NO	A	T	WT.RANGE(KG/12')
1	F-1254	29.10	9.60	1.200 - 1.300
2	F-1256	29.00	9.70	1.225 - 1.354

COOKER PATTI



S.NO	SECTION .NO	A	T	WT.RANGE(KG/12')
1	1215	16.75	3.60	0.588 - 0.649
2	1215L	16.80	3.60	0.560 - 0.619

HALF ROUND FLAT BAR



S.NO	SECTION .NO	A	T	WT.RANGE(KG/12')
1	19X4R	18.80	3.6	0.587 - 0.648
2	10044	18.80	3.6	0.604 - 0.667